



No.	Order-No.	Designation
Conductivity Transmitter 7500		
52 120 622		7500
52 120 623		7500 / 298
52 120 639		7500 / 298 / 348
52 120 642		7500 / 298 / 348 / 359
52 120 645		7500 / 298 / 348 / 359 / 403
52 120 643		7500 / 298 / 348 / 403
52 120 626		7500 / 298 / 359
52 120 634		7500 / 298 / 359 / 362
52 120 637		7500 / 298 / 359 / 362 / 403
52 120 629		7500 / 298 / 359 / 403
52 120 631		7500 / 298 / 362
52 120 635		7500 / 298 / 362 / 403
52 120 627		7500 / 298 / 403
52 120 638		7500 / 348
52 120 640		7500 / 348 / 359
52 120 647		7500 / 348 / 359 / 363
52 120 649		7500 / 348 / 359 / 363 / 403
52 120 644		7500 / 348 / 359 / 403
52 120 646		7500 / 348 / 363
52 120 648		7500 / 348 / 363 / 403
52 120 641		7500 / 348 / 403
52 120 624		7500 / 354 / 359
52 120 448		7500 / 359
52 120 632		7500 / 359 / 362
52 120 636		7500 / 359 / 362 / 403
52 120 449		7500 / 359 / 363
52 120 450		7500 / 359 / 363 / 403
52 120 628		7500 / 359 / 403
52 120 630		7500 / 362
52 120 633		7500 / 362 / 403
52 120 650		7500 / 363
52 120 678		7500 / 363 / 403
52 120 625		7500 / 403
52 120 679		7500 / 298 / 350
52 120 732		7500 / 350 / 354 / 392
52 120 804		7500 / 354 / 362
52 120 837		7500 / 298 / 350 / 354
52 120 885		7500 / 382
52 120 900		7500 / 348 / 350 / 352
52 120 937		7500 / 353
52 120 955		7500/298/351
52 121 012		7500/353/354

Mettler-Toledo GmbH, Process Analytics

Industrie Nord

CH-8902 Urdorf

Subject to technical changes. Mettler-Toledo GmbH

52900106 A

7500 Option numbers**Options:**

X	298: Power supply 24 V AC/DC
X	348: English display text
X	350: Second current output
X	351: RS 485 interface
X	352: Cleaning function
X	353: Digital controller function
X	354: Logbook
X	355: Input for Ni100 temperature probe instead of Pt100/Pt1000
X	359: Concentration determination for HNO ₃ , HCl and H ₂ SO ₄
X	360: Concentration determination to customer specifications
X	361: TC for solutions to customer requirements
X	362: French display text
X	363: Power supply 115 V AC
X	382: Concentration determination for NaOH, HCl and NaCl
X	392: TC for ultra pure water with traces of impurity
X	483: Analog controller function

Order-No.**Accessories:**

52 120 146	Mounting plate ZJ 0126
52 120 147	Bracket kit ZJ 0125
52 120 148	Protective hood ZJ 0123
52 120 149	Protective polyester case ZJ 0124
52 120 150	Bracket kit for protective case ZJ 0128
52 120 517	Pavaly (RS485/RS232 kit) ZJ 0255